SAFETY DATA SHEET

Issuing Date 05-Aug-2020

Revision Date 21-Jun-2017

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is @ 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

AutoZone Battery **Product Name**

Other means of identification

Product Code(s) 1392797_AZ

Recommended use of the chemical and restrictions on use

Recommended Use Lead acid battery

No information available Restrictions on use

Details of the supplier of the safety data sheet

Supplier Identification Clarios, LLC

105 SE Executive Drive Ste 5 **Address**

> Bentonville AR 72712 US

Telephone Phone:479-321-3259

Fax:479-271-8332

E-mail michele.harris@jci.com

Emergency telephone number

Company Emergency Phone

1-800-333-2222

Number

2. HAZARDS IDENTIFICATION

Classification

| Acute toxicity - Oral | Category 4 |
|---|------------|
| Acute toxicity - Inhalation (Vapors) | Category 4 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 3 |



| Skin corrosion/irritation | Category 1 Sub-category A |
|--|---------------------------|
| Serious eye damage/eye irritation | Category 1 |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1A |
| Effects on or via lactation | Yes |
| Specific target organ toxicity (repeated exposure) | Category 1 |

This is a battery. In case of rupture: the above hazards exist.

Appearance Black Physical state Solid Odor Acidic

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed

Toxic if inhaled

Causes severe skin burns and eye damage

May cause cancer

May damage fertility or the unborn child

May cause harm to breast-fed children

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid contact during pregnancy/while nursing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Immediately call a POISON CENTER or doctor/physician

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell



Page 2/13

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---------------|-----------|----------|---|---|
| Sulfuric acid | 7664-93-9 | 34 | - | - |
| Lead | 7439-92-1 | 34 | - | - |
| Lead peroxide | 1309-60-0 | 31 | - | - |
| Lead sulfate | 7446-14-2 | 1 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of

sealed battery. In case of rupture:

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention. Do not breathe dust.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated



Page 3/13

clothes and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Ávoid contact with skin, eyes or clothing. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective

equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up



Page 4/13

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not breathe dust. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store away from other materials. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | | ACGIH T | LV | 03 | SHA PEL | | NIOSH IDLH |
|---------------|----|--------------------------------|-----------|------------------------------------|-------------------------|----------------|--------------------------------|
| Sulfuric acid | | TWA: 0.2 mg/m³ thoracic | | TWA: 1 mg/m ³ | | | IDLH: 15 mg/m ³ |
| 7664-93-9 | | particulate matter (v | | (vacated) TWA: 1 mg/m ³ | | | TWA: 1 mg/m ³ |
| Lead | | TWA: 0.05 mg/m ³ | | | 4: 50 μg/m³ | | IDLH: 100 mg/m ³ |
| 7439-92-1 | | | | Action Leve | l: 30 µg/m³ See | | TWA: 0.050 mg/m ³ |
| | | | | 29 CF | R 1910.1025 | | |
| Lead peroxide | | TWA: 0.05 mg | g/m³ Pb | | 50 μg/m ³ Pb | | IDLH: 100 mg/m ³ Pb |
| 1309-60-0 | | | | Action Le | vel: 30 µg/m³ Pb | T' | WA: 0.050 mg/m ³ Pb |
| | | | | See 29 (| CFR 1910.1025 | | |
| Lead sulfate | | TWA: 0.05 mg/m ³ Pb | | TWA: | 50 μg/m ³ Pb | I | IDLH: 100 mg/m³ Pb |
| 7446-14-2 | | | | | vel: 30 µg/m³ Pb | T\ | WA: 0.050 mg/m ³ Pb |
| | | | | See 29 (| CFR 1910.1025 | | |
| Chemical name | | Alberta | British C | olumbia | Ontario TWAE | V | Quebec |
| Sulfuric acid | _ | ΓWA: 1 mg/m³ | TWA: 0. | 2 mg/m³ | TWA: 0.2 mg/n | า ³ | TWA: 1 mg/m ³ |
| 7664-93-9 | 5 | STEL: 3 mg/m ³ | | | | | STEL: 3 mg/m ³ |
| Lead | T۱ | NA: 0.05 mg/m ³ | TWA: 0.0 |)5 mg/m³ | TWA: 0.05 mg/r | m^3 | TWA: 0.05 mg/m ³ |
| 7439-92-1 | | | | | | | |
| Lead peroxide | T۱ | NA: 0.05 mg/m ³ | TWA: 0.0 |)5 mg/m³ | TWA: 0.05 mg/r | m^3 | TWA: 0.05 mg/m ³ |
| 1309-60-0 | | | | | | | |
| Lead sulfate | T۱ | NA: 0.05 mg/m ³ | TWA: 0.0 |)5 mg/m³ | TWA: 0.05 mg/r | n^3 | TWA: 0.05 mg/m ³ |
| 7446-14-2 | | | | | | | |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls



Page 5 / 13

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe

dust. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance Black Odor Acidic

ColorNo information availableOdor ThresholdNo information available

Property Values Remarks Method

pH 2

Melting / freezing point

No data available

None known

Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Insoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterna

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening PointNo information available



Page 6/13

Molecular Weight No information available No information available **VOC Content (%) Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

> (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Toxic by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Specific test data for the substance or mixture is not available. Causes burns. (based on Ingestion

> components). Indestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Difficulty in

breathing.

Numerical measures of toxicity



Page 7 / 13

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 676.20 mg/kg
ATEmix (inhalation-gas) 6,818.20 ppm
ATEmix (inhalation-dust/mist) 0.743 mg/L
ATEmix (inhalation-vapor) 16.70 mg/L

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|-------------|------------------------|
| Sulfuric acid | = 2140 mg/kg (Rat) | - | = 0.375 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|----------|------------------------|------|
| Sulfuric acid 7664-93-9 | A2 | Group 1 | Known | Х |
| Lead 7439-92-1 | A3 | Group 2A | Reasonably Anticipated | Х |
| Lead peroxide 1309-60-0 | A3 | Group 2A | Reasonably Anticipated | Х |
| Lead sulfate 7446-14-2 | A3 | Group 2A | Reasonably Anticipated | Х |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present



Page 8 / 13

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child. May cause harm to breastfed

babies.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|--|-------------------|--------------------------------------|
| | | | microorganisms | |
| Sulfuric acid | No data available | 96h LC50: > 500 mg/L (Brachydanio rerio) | No data available | No data available |
| Lead | No data available | 96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.17 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.32 mg/L (Oncorhynchus mykiss) | No data available | 48h EC50: = 600 μg/L (water flea) |

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002 D008

California Waste Codes 792

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---------------|----------------------------|
| Sulfuric acid | Toxic |
| 7664-93-9 | Corrosive |
| Lead peroxide | Toxic |
| 1309-60-0 | |



| Lead sulfate | Toxic |
|--------------|-------|
| 7446-14-2 | |

14. TRANSPORT INFORMATION

DOT

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

Emergency Response Guide 154

Number

TDG

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

MEX

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

<u>ICAO</u>

UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

<u>IATA</u>

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8 ERG Code 81

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

IMDG/IMO

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class

EmS-No. F-A, S-B

Description UN2794, BATTERIES, WET, FILLED WITH ACID (LEAD, LEAD PEROXIDE), 8, MARINE

POLLUTANT

<u>RID</u>

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8
Classification code C11

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

ADR/RID-Labels 8

<u>ADR</u>

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class



Classification code C11
Tunnel restriction code (E)

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8, (E)

<u>ADN</u>

UN-No. UN2794

Proper Shipping Name BATTERIES, WET, FILLED WITH ACID

Hazard Class 8
Classification code C11
Special Provisions 295, 598

Description UN2794, BATTERIES, WET, FILLED WITH ACID, 8

Hazard Labels 8 Limited Quantity 1 L

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|---------------------------|-----------|----------|----------------------------------|
| Sulfuric acid - 7664-93-9 | 7664-93-9 | 34 | 1.0 |
| Lead - 7439-92-1 | 7439-92-1 | 34 | 0.1 |
| Lead peroxide - 1309-60-0 | 1309-60-0 | 31 | 0.1 |
| Lead sulfate - 7446-14-2 | 7446-14-2 | 1 | 0.1 |

SARA 311/312 Hazard Categories



Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | | | Х |
| Lead 7439-92-1 | | Х | Х | |
| Lead peroxide 1309-60-0 | | X | | |
| Lead sulfate 7446-14-2 | | X | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------|--------------------------|------------------------------------|---|
| Sulfuric acid 7664-93-9 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Lead 7439-92-1 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| Lead sulfate 7446-14-2 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

<u>California Proposition 65</u>
This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 | | |
|---------------------------|---------------------------|--|--|
| Lead - 7439-92-1 | Carcinogen | | |
| | Developmental | | |
| | Female Reproductive | | |
| | Male Reproductive | | |
| Sulfuric acid - 7664-93-9 | Carcinogen | | |
| Lead peroxide - 1309-60-0 | Carcinogen | | |
| | Developmental | | |
| | Female Reproductive | | |
| | Male Reproductive | | |
| Lead sulfate - 7446-14-2 | carcinogen, 10/1/1992 | | |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| Sulfuric acid | Х | Х | X | X | X |
| 7664-93-9 | | | | | |
| Lead | X | X | X | X | X |
| 7439-92-1 | | | | | |
| Lead peroxide | X | X | X | X | X |



Revision Date 21-Jun-2017

| 1309-60-0 | | | | | |
|---------------------------|---|---|---|---|---|
| Lead sulfate 7446-14-2 | X | Х | Х | X | X |
| 7440-14-2 | | | | | |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 05-Aug-2020

Revision Date 21-Jun-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

