The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300

Danbury, CT 06810 Tel. 1-203-205-2900

1. Product And Company Identification

Product Name: Certified Auto PRO® Engine Cooling Systems UV Dye

Product Number: 375

Responsible Party: The Armor All/STP Products Company

44 Old Ridgebury Road

Suite 300

Danbury, CT 06810

Information Phone Number: +1 203-205-2900

Emergency Phone Number:

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada) For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for

Outside US and Canada (call collect)

SDS Date of Preparation: 07/14/2017

Product Use and Uses Advised Against: Automotive maintenance product – For consumer and professional use

2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will differ from the OSHA information shown below.

GHS Classification:

Physical:	Health:
Not Hazardous	Not Hazardous

GHS Label Elements: None

Hazards not otherwise specified: None

3. Composition/Information on Ingredients

Component	CAS No.	Amount
Non-Hazardous Ingredients	Mixture	100%

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. Seek medical attention if symptoms persist.

Skin Contact: Rinse skin with plenty of water. If skin irritation or redness develops, seek medical attention.

Eye Contact: Flush eyes with plenty of water. If irritation or other symptoms persist, seek medical attention.

Ingestion: Induce vomiting. If the victim is fully conscious, have them drink a glass of water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

Most Important Symptoms: Direct eye contact may cause mild irritation.

Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention should not be required.

5. Firefighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use water spray to cool large containers exposed to fire.

Specific Hazards Arising from the Chemical: Not classified as flammable or combustible. Closed containers may rupture if exposed to extreme heat. Thermal decomposition may yield toxic decomposition products which include alkyl low molecular weight components, COx, organic pyrolysis components.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Wear appropriate protective equipment. Spills of liquid material may cause floors to become slippery. Use caution to prevent slip hazards.

Environmental Precautions: Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations.

Methods for Containment and Clean-Up: Absorb with an inert material. Collect into a suitable container for disposal. Rinse area with water.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Wash hands after use. Keep out of the reach of children.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, well ventilated place. Keep containers dry. Store product away from reactive and corrosive materials.

8. Exposure Controls / Personal Protection

Exposure Guidelines:

CHEMICAL	EXPOSURE LIMIT
Non-Hazardous Ingredients	None Established

Engineering Controls: General ventilation should be adequate for all normal use.

Personal Protective Equipment

Respiratory Protection: None required under normal use conditions.

Gloves: None required under normal use conditions.

Eye Protection: None required for normal use. Avoid eye contact.

The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

Other Protective Equipment/Clothing: None required under normal use conditions.

9. Physical and Chemical Properties

Appearance and Odor: Dark yellow liquid with a bland odor.

Physical State: Liquid	Odor Threshold: Not available
pH : 9.5	Specific Gravity: 1.025
Initial Boiling Point/Range: 212°F (100°C)	Vapor Pressure: (mm Hg @ 20° C) 0.1
Melting/Freezing Point: 32°F (0°C)	Vapor Density: (Air = 1) 6.3
Solubility In Water: Soluble	Percent Volatile: 95%
Viscosity: @ 20° C 70 CP	Evaporation Rate: (n-butyl acetate = 1.0) 0.80
Coefficient Of Water/Oil Distribution: Not determined	VOC Content: Not determined
Flash Point: Not applicable	Autoignition Temp: >734°F (>390°C)
Decomposition Temperature: Not determined	Flammability Limits: LEL: Not applicable
	UEL: Not applicable
Flammability (solid, gas): Not applicable	

10. Stability and Reactivity

Reactivity: Not normally reactive Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known

Conditions To Avoid: None known

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may yield toxic decomposition products which

include alkyl low molecular weight components, COx, and organic pyrolysis components.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

Acute Hazards:

Inhalation: No adverse effects expected from the normal use of this product.

Skin Contact: No adverse effects expected from the normal use of this product.

Eye Contact: Direct contact may cause slight eye irritation.

Ingestion: Swallowing may cause gastrointestinal disturbances.

Chronic Hazards: None currently known.

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Acute Toxicity Values:

Product: Not acutely toxic.

The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

12. Ecological Information

Ecotoxicity:

No ecotoxicity data is currently available for product.

Persistence and Degradability: No data available.

Bio accumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.

14. Transport Information

DOT Hazardous Materials Description: Not Regulated

IMDG Dangerous Goods Description: Not Regulated

15. Regulatory Information

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA Section 103: This product has no RQ, however, oil spills must be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Classified under OSHA Hazcom 2012 GHS as per Section 2 of this SDS.

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None

16. Other Information

NFPA Rating (NFPA 704): Health: 0 Fire: 0 Instability: 0

HMIS Rating: Health: 0 Fire: 0 Physical Hazard: 0

REVISION DATE: 07/14/2017

REVISION SUMMARY: Format and name change.

PREVIOUS REVISION DATE: 08/09/2016

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH