SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBERS: C181-6PK, C181-12, C181S PRODUCT NAME: CASITE TRANNY HONEY

DATE: June 10, 2008

TRADE NAME: CASITE TRANNY HONEY GENERAL USE: Transmission Fluid Treatment CHEMICAL FAMILY: Petroleum Oil & Additives Blend.

PRODUCT DESCRIPTION:

Semi-Viscous Red Liquid With A Petroleum Odor.



MANUFACTURED FOR:

CASITE INTRACO, LLC

ADDRESS (NUMBER, STREET, P.O. BOX)

530 Stephenson Highway

(CITY, STATE AND ZIP CODE) COUNTRY

Trov MI 48083-1131 USA TELEPHONE NUMBER FOR INFORMATION / Customer Service

June 10, 2008

December 19, 2007

Toll Free: 1-888-CASITE1 or 248-585-6909

CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER ChemTel No. 1-800-255-3924 01-813-248-0574

North America Toll Free

International

																	Ε		

DATE PREPARED:

SUPERSEDES:

Hazardous Components	% (by Weight)	CAS#	EINECS#	Hazard Symbol	RISK PHRASES (Full Text Section 15)
BASE LUBRICATING OILS MIXTURE	95 TO 100	Mixture	None	Χn	R36/38
DETERGENT/INHIBITOR SYSTEM	5 TO 10	Mixture	None	None	None

THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR Notes:

1910.1200). THIS PRODUCT IS HAZARDOUS ACCORDING TO OSHA 29 CFR 1910.1200.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

NOT CARCINOGENIC ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD. PROLONGED AND REPEATED EXPOSURE TO OIL MIST MAY POSE A RISK OF PULMONARY DISEASE SUCH AS CHRONIC LUNG INFLAMMATION. THIS CONDITION IS USUALLY ASYMPTOMATIC AS A RESULT OF REPEATED SMALL ASPIRATIONS. SHORTNESS OF BREATH AND COUGH ARE THE MOST COMMON SYMPTOMS.

POTENTIAL HEALTH EFFECTS

INHALATION:

NOT A PROBABLE INHALATION HAZARD. AVOID MISTING OF PRODUCT. THE PERMISSIBLE EXPOSURE LIMIT (PEL) AND THRESHOLD LIMIT VALUE (TLV) FOR THIS PRODUCT AS AN OIL MIST IS 5 MG/M3. EXPOSURES BELOW 5 MG/M3 APPEAR TO BE WITHOUT SIGNIFICANT HEALTH RISK. THE SHORT TERM EXPOSURE LIMIT FOR THIS PRODUCT AS AN OIL MIST IS 10 MG/M3

SKIN:

AVOID SKIN CONTACT. MINIMALLY IRRITATING TO THE SKIN UPON DIRECT CONTACT. BASED ON TESTING OF SIMILAR PRODUCTS AND / OR COMPONENTS. PROLONGED OR REPEATED CONTACT MAY RESULT IN CONTACT DERMATITIS WHICH IS CHARACTERIZED BY DRYNESS, CHAPPING, AND REDDENING. THIS CONDITION MAY MAKE THE SKIN MORE SUSCEPTIBLE TO OTHER IRRITANTS, SENSITIZERS, AND DISEASE. PROLONGED OR REPEATED CONTACT MAY RESULT IN OIL ACNE

EYES:

PRACTICALLY NON-IRRITATING UPON DIRECT CONTACT. BASED ON TESTING OF SIMILAR PRODUCTS AND / OR COMPONENTS.

INGESTION:

DO NOT INGEST. THIS PRODUCT HAS LAXATIVE PROPERTIES AND MAY RESULT IN ABDOMINAL CRAMPS AND DIARRHEA

CARCINOGENICITY:

NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

CALIFORNIA, Prop.65? NO

SECTION 4 - FIRST AID MEASURES

INHALATION:

NOT CONSIDERED TO BE AN INHALATION HAZARD. IF BREATHING BECOMES DIFFICULT, REMOVE TO FRESH AIR IMMEDIATELY. SEEK MEDICAL ATTENTION.

FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. CONSULT PHYSICIAN IF IRRITATION OR PAIN PERSISTS.

REMOVE CONTAMINATED CLOTHING AND FLUSH WITH WATER AND MILD SOAP. IF REDNESS OR IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

PRODUCT NAME: CASITE TRANNY HONEY PRODUCT NUMBERS: C181-6PK, C181-12, C181S

DATE: June 10, 2008

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

FLASH POINT >320 °F (>160 °C), T.C.C.. Isolate from oxidizers.

EXTINGUISHING MEDIA:

Foam, Dry Chemical (B-C), CO2

FIRE FIGHTING PROCEDURES:

Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals. Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot burning liquid product.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Dense smoke and carbon monoxide may be generated while burning.

HAZARDOUS COMBUSTION PRODUCTS:

CO, CO2, dense smoke

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

For Spills: Add inert absorbent material such as sand or clay to absorb liquid, sweep up, and dispose of in accordance with federal, state, and local regulations. Do not dispose in sewer, soil, or aquatic environment. Large spills may be picked up using vacuum pumps, shovels, buckets or other means and placed in drums or other suitable containers.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

General Measures: Store in cool, dry ventilated area in original closed container out of sunlight and/or heat. Keep container closed when not in use. Conditions to Avoid: Keep away from heat, flame, sparks, other ignition sources, and oxidizers. Work/Hygienic Practices: Wash thoroughly after handling and before eating, drinking, or smoking.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION											
		NIC	OSH	AC	GIH	OSHA					
HAZARDOUS COMPONENTS	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	PEL ppm	PEL mg/m3			
Base Lubricating Oils Mixture				10 (mist)		5 (mist)		5(mist)			
Detergent/Inhibitor System	NE										

PERSONAL PROTECTION

RESPIRATORY PROTECTION:

For vapor or mist generated when material is heated or handled, use a NIOSH or EN-149 (European) approved organic vapor respirator with a dust or mist filter. Provide adequate ventilation to maintain concentrations below specified exposure limits.

PROTECTIVE GLOVES:

Chemical resistant impervious gloves only for prolonged or repeated contact.

EYE PROTECTION:

Not required under normal use. Use Safety glasses with side shields or Goggles if splashing may occur.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

For decontamination, use safety shower and eyewash fountain.

WORK / HYGIENIC PRACTICES:

Wash hands after use. Remove contaminated clothing. Wash skin with soap and water. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor, fumes, or mist. Wash thoroughly after handling and before eating, drinking, or smoking.

SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES								
APPEARANCE AND ODOR	VAPOR PRESSURE							
Semi-Viscous Red Liquid With A Petroleum Odor.	<0.001mm Hg. @25℃							
рН	SPECIFIC GRAVITY (WATER = 1)							
NE	0.87							
BOILING POINT / BOILING RANGE	SOLUBILITY IN WATER							
>425°F/218°C	Insoluble							
FLASH POINT	VISCOSITY							
>320°F (160.℃), T.C.C.	NA							
FLAMMABLE LIMITS	VAPOR DENSITY (AIR = 1)							
LEL: 1 UEL: 10	>1							
AUTOIGNITION TEMPERATURE	EVAPORATION RATE (Water = 1)							
NE	<1							

PRODUCT NAME: CASITE TRANNY HONEY PRODUCT NUMBERS: C181-6PK, C181-12, C181S DATE: June 10, 2008 SECTION 10 - STABILITY AND REACTIVITY STABILITY STABLE X CONDITIONS TO AVOID: Strong oxidizers, flames, sparks and storage at elevated temperatures. INCOMPATIBILITY (MATERIALS TO AVOID): Strong Oxidizers HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO₂, Hydrocarbons HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: Will not occur. None related to polymerization. SECTION 11 - TOXICOLOGICAL INFORMATION No toxicological data is available for the components of this product. SECTION 12 - ECOLOGICAL INFORMATION No ecological data specific to this product is available. Product should not be allowed to enter waterways, sewers etc. SECTION 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL METHOD: Dispose of in an approved hazardous waste container. Disposer must comply with local, state and federal regulations with regard to disposal or discharge. Product may also be disposed of by dilution with water and discharged to a sewage treatment facility. SECTION 14 - TRANSPORT INFORMATION PROPER SHIPPING NAME: Not Regulated DOT HAZARD CLASS / Pack Group: IATA HAZARD CLASS / Pack Group: REFERENCE: 49 CFR IMDG HAZARD CLASS: UN / NA IDENTIFICATION NUMBER: RID/ADR Dangerous Goods Code: NA LABEL: Not Regulated. UN TDG Class / Pack Group: HAZARD SYMBOLS: Hazard Identification Number (HIN): NA Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping. SECTION 15 - REGULATORY INFORMATION TSCA (USA - Toxic Substance Control Act): Components are listed. SARA TITLE III (USA - Superfund Amendments and Reauthorization Act): Acute Health: NO Chronic Health: NO Fire: NO Sudden Release of Pressure: NO Reactive: NO 313 REPORTABLE INGREDIENTS: None Reportable. CERCLA (USA - Comprehensive Response Compensation and Liability Act): No RQ's Applicable. California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: None Listed CPR (Canadian Controlled Products Regulations): IDL (Canadian Ingredient Disclosure List): Listed DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): Listed on DSL. EINECS (European Inventory of Existing Commercial Chemical Substances): Listed WGK Water Quality Index: RISK PHRASES: SYMBOL(S) REQUIRED FOR EU LABEL SAFETY PHRASES: (+R36/38): Irritating to eyes and S23 Do not inhale skin. gas/fumes/vapour/spray. S24/25 Avoid contact with skin and eyes. S28 After contact with skin, wash immediately with plenty of soap and water. S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

DATE:	June 10, 2008	ONEY PRODUCT NUMBERS : C	181-6PK, C181-	12, 01815
	SE	CTION 16 - OTHER INFORMATION	NC	
Legend: NA=Not App	licable, NE= Not Establi	shed .		
HMIS HAZARD RATIN	IGS	HEALTH:	1	0 = INSIGNIFICANT
		FLAMMABILITY:	1	1 = SLIGHT
		PHYSICAL HAZARD:	0	2 = MODERATE
		PERSONAL PROTECTIVE EQUIPMENT:	В	3 = HIGH 4 = EXTREME

Revised to GHS/E.U. protocols 6/10/2008, supersedes 12/19/2007 issue.

MSDS Prepared by:

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.