## SAFETY DATA SHEET

**Revision Number** 1

Revision Date 26-Feb-2015

Issuing Date 28-Dec-2010

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Color Cure Car Polish - Black - T-374KTR

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Automotive Wax (All types but Hard Paste)

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Turtle Wax, Inc

**Supplier Address** 625 Willowbrook Ctr Pky

Willowbrook Illinois 60527

US

**Supplier Phone Number** Phone:(800)887-8539

Fax:(630)455-3868

Contact Phone(630)455-3700 mschultz@turtlewax.com

Supplier Email
Emergency telephone number

Emergency telephone number

**Company Emergency Phone** 

(800)887-8539

Number

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Germ cell mutagenicity | Category 1B |
|------------------------|-------------|
| Aspiration toxicity    | Category 1  |



#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

## Signal word

Danger

#### **Hazard Statements**

May cause genetic defects

May be fatal if swallowed and enters airways



Appearance Black

Physical State Liquid Viscous liquid

Odor Slight

## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Hazards not otherwise classified (HNOC)**

Not applicable

## **Unknown Toxicity**

3.11% of the mixture consists of ingredient(s) of unknown toxicity

## Other information

No information available

## **Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

(II)

Page 2/12

\_\_\_\_\_

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

٠

| Chemical Name                             | CAS No     | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| Calcined kaolin clay                      | 66402-68-4 | 5 - 10   | *            |
| Mineral Spirits (Rule 66)                 | 8052-41-3  | 3 - 7    | *            |
| Petroleum distillates, hydrotreated light | 64742-47-8 | 1 - 5    | *            |
| Carbon black                              | 1333-86-4  | 1 - 5    | *            |
| Ammonium hydroxide                        | 1336-21-6  | 0.1 - 1  | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

#### First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

**Skin Contact** Wash with soap and water.

**Inhalation** Aspiration into lungs can produce severe lung damage. If breathing has stopped,

give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Seek immediate

medical attention/advice. Delayed pulmonary edema may occur.

**Ingestion** Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT

induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control

center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see

section 8).

## Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

**Effects** 

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



Page 3/12

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

## **Specific Hazards Arising from the Chemical**

No information available.

Uniform Fire Code Combustible Liquid: III-B

## **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment

as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**U** 

Page 4/12

\_\_\_\_\_

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Protect from moisture. Keep out of the reach of children. Store away from other materials.

Incompatible Products None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

| Chemical Name                             | ACGIH TLV                                   | OSHA PEL                                | NIOSH IDLH                                 |
|---|---|---|--|
| Calcined kaolin clay                      | STEL: 10 mg/m³ Zr                           | TWA: 5 mg/m <sup>3</sup> Zr             | TWA: 5 mg/m³ respirable dust               |
| 66402-68-4                                | TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02       | (vacated) TWA: 5 mg/m <sup>3</sup> Zr   | TWA: 10 mg/m <sup>3</sup> total dust       |
|   | mg/m³ Mn                                    | (vacated) STEL: 10 mg/m <sup>3</sup> Zr |  |
|   | TWA: 0.1 mg/m <sup>3</sup> Mn               |   |  |
| Mineral Spirits (Rule 66)                 | TWA: 100 ppm                                | TWA: 500 ppm                            | IDLH: 20000 mg/m <sup>3</sup>              |
| 8052-41-3                                 |   | TWA: 2900 mg/m <sup>3</sup>             | Ceiling: 1800 mg/m <sup>3</sup> 15 min     |
|   |   | (vacated) TWA: 100 ppm                  | TWA: 350 mg/m <sup>3</sup>                 |
|   |   | (vacated) TWA: 525 mg/m <sup>3</sup>    |  |
| Petroleum distillates, hydrotreated light | TWA: 5 mg/m <sup>3</sup>                    | TWA: 5 mg/m <sup>3</sup>                |  |
| 64742-47-8                                | STEL: 10 mg/m <sup>3</sup>                  | (as oil mist)                           |  |
|   | (as oil mist)                               |   |  |
| Carbon black                              | TWA: 3 mg/m <sup>3</sup> inhalable fraction | TWA: 3.5 mg/m <sup>3</sup>              | IDLH: 1750 mg/m <sup>3</sup>               |
| 1333-86-4                                 |   | (vacated) TWA: 3.5 mg/m <sup>3</sup>    | TWA: 3.5 mg/m <sup>3</sup>                 |
|   |   |   | TWA: 0.1 mg/m <sup>3</sup> Carbon black in |
|   |   |   | presence of Polycyclic aromatic            |
|   |   |   | hydrocarbons PAH                           |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

#### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No special protective equipment required.



Page 5/12

\_\_\_\_\_

**Skin and Body Protection**Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

Remarks Method

the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Property

Physical StateLiquid, Viscous liquidAppearanceBlackOdorSlight

Color No information available Odor Threshold No information available

На 8.3 None known Melting / freezing point No data available None known Boiling point / boiling range 212 °C / 414 °F None known **Flash Point** 250 C / 482 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Values

Flammability Limit in Air
Upper flammability limit
Lower flammability limit
No data available
No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known **Water Solubility** Dispersible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known **Explosive properties** No data available

No data available

#### Other Information

**Oxidizing Properties** 

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

**Particle Size Distribution** 

**(II)** 

Page 6/12

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

## **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

**Eye Contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin Contact** Repeated exposure may cause skin dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

## **Component Information**

| Chemical Name                       | Oral LD50           | Dermal LD50           | Inhalation LC50      |
|-------------------------------------|---------------------|-----------------------|----------------------|
| Petroleum distillates, hydrotreated | > 5000 mg/kg (Rat)  | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat) 4 h |
| light                               |                     |                       |                      |
| 64742-47-8                          |                     |                       |                      |
| Carbon black                        | > 15400 mg/kg (Rat) | > 3 g/kg (Rabbit)     | -                    |
| 1333-86-4                           |                     |                       |                      |
| Ammonium hydroxide                  | = 350 mg/kg (Rat)   | -                     | -                    |
| 1336-21-6                           | _ • • • • • •       |                       |                      |



Page 7/12

#### Information on toxicological effects

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Asthma-like and/ or skin allergy-like

symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects Contains a known or suspected mutagen.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC     | NTP | OSHA |
|---------------|-------|----------|-----|------|
| Carbon black  | A3    | Group 2B |     | X    |
| 1333-86-4     |       | -        |     |      |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive Toxicity**No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Chronic Toxicity**Contains a known or suspected mutagen. Possible risk of irreversible effects. Aspiration

may cause pulmonary edema and pneumonitis. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. This product contains carbon black in a non-respirable form.

Inhalation of carbon black is unlikely to occur from exposure to this product.

**Target Organ Effects** May affect the genetic material in germ cells (sperm and eggs). Respiratory system. Eyes.

Skin. Gastrointestinal tract (GI). Central Nervous System (CNS). Kidney. Lymphatic

System. Liver. Lungs. Testes.

**Aspiration Hazard** No information available.

#### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

**U** 

Page 8/12

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name  | Toxicity to Algae | Toxicity to Fish   | Toxicity to Microorganisms | Daphnia Magna (Water<br>Flea) |
|--|-------------------|--|----------------------------|-------------------------------|
| Petroleum distillates,<br>hydrotreated light<br>64742-47-8 |                   | 96h LC50: = 2.2 mg/L<br>(Lepomis macrochirus) 96h<br>LC50: = 2.4 mg/L<br>(Oncorhynchus mykiss) 96h<br>LC50: = 45 mg/L<br>(Pimephales promelas) |                            | 96h LC50: = 4720 mg/L         |
| Carbon black<br>1333-86-4                                  |                   |  |                            | 24h EC50: > 5600 mg/L         |
| Ammonium hydroxide<br>1336-21-6                            |                   | 96h LC50: = 8.2 mg/L<br>(Pimephales promelas)  |                            | 48h EC50: = 0.66 mg/L         |

## Persistence and Degradability

No information available.

#### Bioaccumulation

No information available

## Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal methods**This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

## California Hazardous Waste Codes 214

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name        | California Hazardous Waste |
|----------------------|----------------------------|
| Calcined kaolin clay | Toxic soluble              |
| 66402-68-4           | Toxic                      |
| Ammonium hydroxide   | Toxic                      |
| 1336-21-6            | Corrosive                  |

## 14. TRANSPORT INFORMATION

NOT REGULATED



Page 9/12

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

## International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                     | CAS No     | Weight-% | SARA 313 - Threshold<br>Values % |
|-----------------------------------|------------|----------|----------------------------------|
| Calcined kaolin clay - 66402-68-4 | 66402-68-4 | 5 - 10   | 1.0                              |
| Ammonium hydroxide - 1336-21-6    | 1336-21-6  | 0.1 - 1  | 1.0                              |

#### SARA 311/312 Hazard Categories

| Acute Health Hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name        | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|----------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Calcined kaolin clay |                                | X                      |                           |                               |
| 66402-68-4           |                                |                        |                           |                               |
| Ammonium hydroxide   | 1000 lb                        |                        |                           | X                             |
| 1336-21-6            |                                |                        |                           |                               |

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)



Page 10/12

| Chemical Name                   | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ  |
|---------------------------------|--------------------------|------------------------------------|---|
| Ammonium hydroxide<br>1336-21-6 | 1000 lb                  |                                    | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |

## US State Regulations

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name            | California Proposition 65 |
|--------------------------|---------------------------|
| Carbon black - 1333-86-4 | Carcinogen                |

Carbon Black is listed on Proposition 65 as an "airborne unbound particle of respirable size". It does not exist in this product as is or during use as such and is therefore not labeled.

## U.S. State Right-to-Know Regulations

| Chemical Name             | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------------------|------------|---------------|--------------|--------------|----------|
| Calcined kaolin clay      |            |               | Χ            | X            |          |
| 66402-68-4                |            |               |              |              |          |
| Mineral Spirits (Rule 66) | X          | X             | X            |              |          |
| 8052-41-3                 |            |               |              |              |          |
| Carbon black              | X          | X             | X            |              | X        |
| 1333-86-4                 |            |               |              |              |          |
| Morpholine                | X          | X             | X            |              |          |
| 110-91-8                  |            |               |              |              |          |
| Ammonium hydroxide        | X          | X             | X            | X            |          |
| 1336-21-6                 |            |               |              |              |          |

## International Regulations

#### Mexico

**National occupational exposure limits** 

| Component                 | Carcinogen Status | Exposure Limits                     |
|---------------------------|-------------------|-------------------------------------|
| Calcined kaolin clay      |                   | Mexico: TWA 5 mg/m <sup>3</sup>     |
| 66402-68-4 ( 5 - 10 )     |                   | Mexico: TWA 0.2 mg/m <sup>3</sup>   |
|                           |                   | Mexico: STEL 10 mg/m <sup>3</sup>   |
| Mineral Spirits (Rule 66) |                   | Mexico: TWA 100 ppm                 |
| 8052-41-3 (3 - 7)         |                   | Mexico: TWA 523 mg/m <sup>3</sup>   |
|                           |                   | Mexico: STEL 200 ppm                |
|                           |                   | Mexico: STEL 1050 mg/m <sup>3</sup> |
| Carbon black              |                   | Mexico: TWA 3.5 mg/m <sup>3</sup>   |
| 1333-86-4 ( 1 - 5 )       |                   | Mexico: STEL 7 mg/m <sup>3</sup>    |

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

## **WHMIS Hazard Class**

D2A - Very toxic materials



| 16. OTHER INFORMATION |
|-----------------------|
|                       |

NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and Chemical Hazards -



HMIS Health Hazards 2\* Flammability 1 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

28-Dec-2010 26-Feb-2015

Revision Note No information available

## **Disclaimer**

**Issuing Date** 

**Revision Date** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



Page 12/12