



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

SECTION 1: Identification

1.1 Product identifier

Trade name **Refresh Your Car Vent Stick New Car**
Alternative number(s) 012844095883, 012844094503, 012844619317

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <http://data.energizer.com>

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727
This number is only available during the following
office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing mist/vapors.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

Hexyl cinnamaldehyde, Patchouli ethanone, Coumarin, Hexyl salicylate, Eugenol

2.3 Other hazards

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures






Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Methyl anthranilate	CAS No 134-20-3	5 - < 10	Eye Irrit. 2 / H319 HNOC001 HNOC007	
benzyl benzoate	CAS No 120-51-4	1 - < 5	Acute Tox. 4 / H302 HNOC001 HNOC008	
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	1 - < 5	Acute Tox. 4 / H332 Skin Sens. 1 / H317 HNOC001 HNOC002 HNOC008	

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Patchouli ethanone	CAS No 54464-57-2	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 HNOC008	
Hexyl salicylate	CAS No 6259-76-3	1 – < 5	Skin Sens. 1B / H317 HNOC008	
Coumarin	CAS No 91-64-5	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Skin Sens. 1 / H317 HNOC009	 
Eugenol	CAS No 97-53-0	< 1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 HNOC006	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.
- Specific notes/details
Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres
Removal of dust deposits.
- Packaging compatibilities
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	polyvinyl chloride	9002-86-2	TLV®		1					r	AC-GIH® 2022

Notation

Ceiling-C

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Relevant DNELs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Methyl anthranilate	134-20-3	DNEL	49.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Methyl anthranilate	134-20-3	DNEL	14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	14.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	70.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	0.078 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	6.28 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Hexyl salicylate	165184-98-5 101-86-0	DNEL	525 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Hexyl salicylate	6259-76-3	DNEL	20,830 mg/kg	human, dermal	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	7.29 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	1.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl salicylate	6259-76-3	DNEL	6.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl salicylate	6259-76-3	DNEL	885 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Hexyl salicylate	6259-76-3	DNEL	885 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Coumarin	91-64-5	DNEL	6.78 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Relevant DNELs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Eugenol	97-53-0	DNEL	21.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Eugenol	97-53-0	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl anthranilate	134-20-3	PNEC	87.2 µg/l	aquatic organisms	freshwater	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	8.72 µg/l	aquatic organisms	marine water	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	0.968 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	96.8 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	0.142 mg/kg	terrestrial organisms	soil	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.322 µg/l	aquatic organisms	marine water	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.043 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.204 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.406 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	3.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.398 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.00357 mg/l	aquatic organisms	water	intermittent release
Hexyl salicylate	6259-76-3	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.272 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.027 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.054 mg/kg	terrestrial organisms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.056 mg/l	aquatic organisms	water	intermittent release
Coumarin	91-64-5	PNEC	19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 µg/l	aquatic organisms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	6.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Coumarin	91-64-5	PNEC	0.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 mg/kg	terrestrial organisms	soil	short-term (single instance)

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Eugenol	97-53-0	PNEC	11.3 µg/l	aquatic organisms	water	intermittent release
Eugenol	97-53-0	PNEC	1.13 µg/l	aquatic organisms	freshwater	short-term (single instance)
Eugenol	97-53-0	PNEC	0.113 µg/l	aquatic organisms	marine water	short-term (single instance)
Eugenol	97-53-0	PNEC	0.081 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.008 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.015 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Color	light blue
Odor	Conforms to standard

Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	256 °C at 760 mmHg
Flash point	93.33 °C
Evaporation rate	Not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapor pressure	1.599 Pa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	480 °C
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none
9.2 Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 mg/l/4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	>2.12 mg/l/4h
Coumarin	91-64-5	oral	293 mg/kg
Coumarin	91-64-5	dermal	293 mg/kg
Eugenol	97-53-0	oral	>1,500 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Coumarin	91-64-5	3	
Eugenol	97-53-0	3	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Legend

3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Methyl anthranilate	134-20-3	EC50	11.67 mg/l	algae	96 h
Methyl anthranilate	134-20-3	LC50	32.35 mg/l	fish	96 h
benzyl benzoate	120-51-4	LC50	2.32 mg/l	fish	96 h
benzyl benzoate	120-51-4	EC50	4.26 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	ErC50	0.475 mg/l	algae	72 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 mg/l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 mg/l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 mg/l	algae	72 h
Hexyl salicylate	6259-76-3	EC50	0.543 mg/l	aquatic invertebrates	24 h
Hexyl salicylate	6259-76-3	ErC50	0.61 mg/l	algae	72 h
Coumarin	91-64-5	LC50	2.94 mg/l	fish	96 h
Coumarin	91-64-5	EC50	8.012 mg/l	aquatic invertebrates	48 h

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eugenol	97-53-0	LC50	13 mg/l	fish	24 h
Eugenol	97-53-0	EC50	1.05 mg/l	aquatic invertebrates	48 h
Eugenol	97-53-0	ErC50	24 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzyl benzoate	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	EC50	>10,000 mg/l	microorganisms	3 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 µg/l	aquatic invertebrates	21 d
Eugenol	97-53-0	LC50	13 mg/l	fish	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 3077
IMDG-Code	UN 3077
ICAO-TI	UN 3077

14.2 UN proper shipping name

DOT	Environmentally hazardous substance, solid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name (hazardous ingredients)	benzyl benzoate, Hexyl cinnamaldehyde

14.3 Transport hazard class(es)

DOT	9
IMDG-Code	9
ICAO-TI	9

14.4 Packing group

DOT	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	benzyl benzoate, Hexyl cinnamaldehyde

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2)

ADR: SP 375

IMDG: 2.10.2.7

IATA: special provision A197, DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration

UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: benzyl benzoate, Hexyl cinnamaldehyde), 9, III

Danger label(s)

9, fish and tree



Environmental hazards

yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 335, 384, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33

ERG No

171

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (contains: benzyl benzoate, Hexyl cinnamaldehyde), 9, III

Marine pollutant

yes (hazardous to the aquatic environment) (Benzyl benzoate)

Danger label(s)

9, fish and tree



Special provisions (SP)

274, 335, 966, 967, 969

Excepted quantities (EQ)

E1

Limited quantities (LQ)

5 kg

EmS

F-A, S-F

Stowage category

A



Safety Data Sheet


acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: benzyl benzoate, Hexyl cinnamaldehyde), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
	
Special provisions (SP)	A97, A158, A179, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed as "ACTIVE"

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Methyl anthranilate	134-20-3	fragrance	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
Hexyl cinnamaldehyde	101-86-0	fragrance	EU Fragrance Allergens



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Name of substance	CAS No	Functionality	Authoritative Lists
Patchouli ethanone	54464-57-2	fragrance	
Hexyl salicylate	6259-76-3	fragrance	
Florosol	63500-71-0	fragrance	
Coumarin	91-64-5	fragrance	EU Fragrance Allergens
Eugenol	97-53-0	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)
none of the ingredients are listed
- Hazardous Substances List (MN-ERTK)
none of the ingredients are listed
- Hazardous Substance List (Chapter 323) (PA-RTK)
none of the ingredients are listed
- Hazardous Substance List (RI-RTK)
none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Legend

NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	yes
3.2		Description of the mixture: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed	Toxic Substance Control Act (TSCA): all ingredients are listed as "ACTIVE"	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Vent Stick New Car

Version number: 5.1
Replaces version of: 2022-07-28 (4)

Revision: 2023-03-31

Code	Text
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.