# Spectrum Lubricants Corporation 500 Industrial Park Drive Selmer, TN 38375

## MATERIAL SAFETY DATA SHEET

### **SECTION 1 -- IDENTIFICATION**

Product Trade Name: Sta-Mix 40:1 Two-Cycle Engine Oil

 Revision Date:
 11-27-05

 Phone Number:
 (731) 645-4972

 Fax Number:
 (731) 645-4810

E-mail Address: <a href="mailto:vswedley@spectrumcorporation.com">vswedley@spectrumcorporation.com</a>
Emergency Number: 800-424-9300 after 5:00 p.m.
Chemical Family: Petroleum Lubricating Oil

NOTE: Petroleum lubricating oils with a flashpoint above 200°F, are not regulated by D.O.T. standards.

#### **SECTION 2 -- HAZARDOUS INGREDIENTS**

<u>Name</u>	CAS#	Approximate %	Regulatory Agency	Exposure Limit
Additive	Proprietary	5-11	OSHA/ACGIH	5mg/m3 Mist
Solvent	8052-41-3	8-13	OSHA/ACGIH	5mg/m3 Mist
Base Oil	64742-54-7	80-90	OSHA/ACGIH	5mg/m3 Mist
Blue Dye	1330-20-7	< 0.5	OSHA/ACGIH	100 ppm 8HrTWA

#### **HMIS/NFPA CODES**

Health	Flammability	Reactivity	Protective Equipment
1	1	0	C, D, H

See Section 6, Chronic Effects, for potential over-exposure hazard.

#### **SECTION 3 -- PHYSICAL DATA**

Vapor Pressure (mmHg) at 20°C:<1</th>Specific Gravity at 60°F:0.88Water Solubility:NegligibleBoiling Point:600+°FVapor Density (Air=1):>5Evaporation Rate (BUAC=1):<1</td>

Odor: Mild Petroleum Odor Appearance: Dark Blue Color Liquid

Viscosity at 100°C CST: 9.3

## **SECTION 4 -- FIRE AND EXPLOSION HAZARDS**

Flash Point: 205°F Fire Point: 255°F

Extinguishing Media: Water Fog, Chemical Foam, Dry Chemical

Powder, CO2

Special Firefighting Procedures: Cool exposed containers with water spray.

Avoid breathing fumes.

Unusual Fire and Explosion Hazards: Pressure increase in over heated closed

containers. Cool containers with water spray. Product at elevated temperature gives off

flammable vapors.

# **SECTION 5 -- REACTIVITY DATA**

Stability: Incompatibility: Polymerization: Thermal Decomposition:	Stable Avoid strong oxidants. Will not occur. Partial burning produces fumes, smoke and carbon monoxide.		
SECTION 6 HEALTH HAZARD DATA			
Inhalation:	Inhalation of fumes may result in dizziness, headache and respiratory irritation.		
Eye Contact:	Contact with eyes may cause minimal irritation.		
Skin Contact:	Mild irritation may occur with prolonged or repeated contact.		
Ingestion:	Slightly toxic. Pulmonary aspiration hazard if vomiting occurs.		
TLV: Chronic Effects:	5mg/m3 as mist. ACGIH 1984-85. Product has a low order of acute oral toxicity Ingredients of this product are not listed as potential carcinogens in N.T.P. Annual Report on Carcinogens, I.A.R.C. Monographs, or by O.S.H.A. HCS (g) (2) (vii)		
SECTION 7 SPECIAL PROTECTION I	NFORMATION		
Ventilation Procedure:	Ventilate as needed to comply with exposure		
Gloves Protection:	limit. Use impervious gloves to avoid repeated/prolonged skin contact.		
Eye Protection: Work/Hygienic Practices:	Use goggles/face shield to avoid eye contact. If clothing becomes contaminated, change to fresh clean clothing. Do not wear until thoroughly laundered.		
SECTION 8 SPILL OR LEAK PROCED	DURES		
Spill Procedures:	Remove ignition sources. Recover liquid. Add absorbent to spill area. Ventilate confined spaces. Advise authorities if produc enters sewers, etc.		
Waste Disposal:	Assure conformity with applicable disposal regulations. Dispose of absorbed material at approved waste site.		
SECTION 9 SPECIAL PRECAUTIONS			
Handling and Storage Precautions:	Keep containers closed when not in use. Do not handle or store near heat or flames. Use chemical resistant gloves and apron.		
EMERGENCY FIRST AID PROCEDURES			
Skin:	Wash skin with soap and warm water. Wash clothing before re-use.		
Eye:	If splashed into eyes flush eyes with clear water for five (5) minutes.		
Inhalation:	If overcome by fumes remove from exposure immediately.		

Oral: If ingested, do not induce vomiting. Call a physician.

The data presented herein is based upon tests and information, which we believe to be reliable. However, users should make their own investigations to determine the suitability of the information for their particular purpose.