



MATERIAL SAFETY DATA SHEET

Page 1 of 4

| SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION | | | | | |
|--|---|--|----------|---|-------------------------------------|
| PRODUCT NAME: Casite Power Steering Honey DATE: June 6, 2008 | | Product Number(s): C155-6PK, C155-12,C155S | | | |
| TRADE NAME: Casite Power Steering Honey. GENERAL USE: Power Steering Conditioner. CHEMICAL FAMILY: Petroleum Oil Blend. PRODUCT DESCRIPTION: Fluorescent Pink Liquid With A Petroleum Odor. | |  | | | |
| MANUFACTURED FOR: CASITE INTRACO, LLC | | DATE PREPARED: June 6,2008 SUPERSEDES: March 12, 2008 | | | |
| ADDRESS (NUMBER, STREET, P.O. BOX) 530 Stephenson Highway | | TELEPHONE NUMBER FOR INFORMATION / Customer Service Toll Free: 1-888-CASITE1 or 248-585-6909 | | | |
| (CITY, STATE AND ZIP CODE) Troy MI 48083-1131 | | COUNTRY USA | | | |
| CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER | | | | | |
| | |  | | 1-800-255-3924 01-813-248-0574 North America Toll Free International | |
| SECTION 2 - HAZARDOUS INGREDIENTS | | | | | |
| Hazardous Components | % (by Weight) | CAS # | EINECS # | Hazard Symbol | RISK PHRASES (Full Text Section 15) |
| BASE LUBRICATING OILS MIXTURE | 95 TO 100 | Mixture | None | Xn | R36/38 |
| OIL ADDITIVE MIXTURE | 1 TO 5 | Mixture | None | Xn | R36/38 |
| SEAL CONDITIONER MIXTURE | 1 TO 5 | Mixture | None | Xn | R36/38 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Notes: | THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).THIS PRODUCT IS NON HAZARDOUS ACCORDING TO OSHA 29 CFR 1910.1200. | | | | |
| SECTION 3 - HAZARDS IDENTIFICATION | | | | | |
| EMERGENCY OVERVIEW NOT CARCINOGENIC ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD. | | | | | |
| POTENTIAL HEALTH EFFECTS | | | | | |
| INHALATION: NOT A PROBABLE INHALATION HAZARD. AVOID MISTING OF PRODUCT. THE PERMISSIBLE EXPOSURE LIMIT (PEL) AND THRESHOLD LIMIT VALUE (TLV) FOR THIS PRODUCT AS AN OIL MIST IS 5 MG/M3. EXPOSURES BELOW 5 MG/M3 APPEAR TO BE WITHOUT SIGNIFICANT HEALTH RISK. THE SHORT TERM EXPOSURE LIMIT FOR THIS PRODUCT AS AN OIL MIST IS 10 MG/M3. | | | | | |
| SKIN: AVOID SKIN CONTACT. MINIMALLY IRRITATING TO THE SKIN UPON DIRECT CONTACT. BASED ON TESTING OF SIMILAR PRODUCTS AND / OR COMPONENTS. PROLONGED OR REPEATED CONTACT MAY RESULT IN CONTACT DERMATITIS WHICH IS CHARACTERIZED BY DRYNESS, CHAPPING, AND REDDENING. THIS CONDITION MAY MAKE THE SKIN MORE SUSCEPTIBLE TO OTHER IRRITANTS, SENSITIZERS, AND DISEASE. MAY BE ABSORBED THROUGH SKIN. | | | | | |
| EYES: PRACTICALLY NON-IRRITATING UPON DIRECT CONTACT. BASED ON TESTING OF SIMILAR PRODUCTS AND / OR | | | | | |
| INGESTION: DO NOT INGEST. THIS PRODUCT HAS LAXATIVE PROPERTIES AND MAY RESULT IN ABDOMINAL CRAMPS AND DIARRHEA | | | | | |
| CARCINOGENICITY: | | | | | |
| NTP? NO CALIFORNIA, Prop.65? NO | | IARC MONOGRAPHS? NO | | OSHA REGULATED? NO | |

MATERIAL SAFETY DATA SHEET

Page 2 of 4

| | | | | | | | | |
|--|---------|---|----------|------------|-------------|-----------|---------|-----------|
| PRODUCT NAME: Casite Power Steering Honey | | Product Number(s): C155-6PK, C155-12,C155S | | | | | | |
| DATE: June 6, 2008 | | | | | | | | |
| SECTION 4 - FIRST AID MEASURES | | | | | | | | |
| INHALATION: NOT CONSIDERED TO BE AN INHALATION HAZARD. IF BREATHING BECOMES DIFFICULT, REMOVE TO FRESH AIR IMMEDIATELY. SEEK MEDICAL ATTENTION. | | | | | | | | |
| EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. CONSULT PHYSICIAN IF IRRITATION OR PAIN PERSISTS. | | | | | | | | |
| SKIN: REMOVE CONTAMINATED CLOTHING AND FLUSH WITH WATER AND MILD SOAP. IF REDNESS OR IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. | | | | | | | | |
| INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION. | | | | | | | | |
| SECTION 5 - FIRE FIGHTING MEASURES | | | | | | | | |
| GENERAL HAZARDS: FLASH POINT 310°F (154.4°C), C.O.C.. Isolate from oxidizers. | | | | | | | | |
| EXTINGUISHING MEDIA: Foam, Dry Chemical (B-C), CO2 . | | | | | | | | |
| FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals. Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot burning liquid product. | | | | | | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: Dense smoke may be generated while burning. | | | | | | | | |
| HAZARDOUS COMBUSTION PRODUCTS: CO, CO2, dense smoke. | | | | | | | | |
| SECTION 6 - ACCIDENTAL RELEASE MEASURES | | | | | | | | |
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: For Spills: Add inert absorbent material such as sand or clay to absorb liquid, sweep up, and dispose of in accordance with federal, state, and local regulations. Do not dispose in sewer, soil, or aquatic environment. | | | | | | | | |
| SECTION 7 - HANDLING AND STORAGE | | | | | | | | |
| PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: General Measures: Store in cool, dry ventilated area in original closed container out of sunlight and/or heat. Keep container closed when not in use. Conditions to Avoid: Keep away from heat flame, sparks, and other ignition sources. Work/Hygienic Practices: Wash thoroughly after handling and before eating, drinking, or smoking. | | | | | | | | |
| SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION | | | | | | | | |
| HAZARDOUS COMPONENTS | NIOSH | | | | ACGIH | | OSHA | |
| | TWA ppm | TWA mg/m3 | STEL ppm | STEL mg/m3 | TLV/TWA ppm | TWA mg/m3 | PEL ppm | PEL mg/m3 |
| Base Lubricating Oils Mixture | | | | 10 (mist) | | 5 (mist) | | 5(mist) |
| Oil Additive Mixture | | | | 10 (mist) | | 5 (mist) | | 5 (mist) |
| Seal Conditioner Mixture | | | | 10 (mist) | | 5 (mist) | | 5 (mist) |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| PERSONAL PROTECTION | | | | | | | | |
| RESPIRATORY PROTECTION: For vapor or mist generated when material is heated or handled, use a NIOSH or EN-149 (European) approved organic vapor respirator with a dust or mist filter. Provide adequate ventilation to maintain concentrations below specified exposure limits. | | | | | | | | |
| PROTECTIVE GLOVES: Chemical resistant impervious gloves only for prolonged or repeated contact. | | | | | | | | |
| EYE PROTECTION: Not required under normal use. Use Safety glasses with side shields or Goggles if splashing may occur.. | | | | | | | | |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT: For decontamination, use safety shower and eyewash fountain. | | | | | | | | |
| WORK / HYGIENIC PRACTICES: Wash hands after use. Remove contaminated clothing. Wash skin with soap and water. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor, fumes, or mist. Wash thoroughly after handling and before eating, drinking, or smoking. | | | | | | | | |



MATERIAL SAFETY DATA SHEET

Page 3 of 4

| | | |
|--|---|--|
| PRODUCT NAME: Casite Power Steering Honey | | Product Number(s): C155-6PK, C155-12, C155S |
| DATE: June 6, 2008 | | |
| SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES | | |
| APPEARANCE AND ODOR Fluorescent Pink Liquid With A Petroleum Odor. | VAPOR PRESSURE <0.001mm Hg. @25°C | |
| pH NE | SPECIFIC GRAVITY (WATER = 1) 0.87 | |
| BOILING POINT / BOILING RANGE >500°F/260°C | SOLUBILITY IN WATER Negligible | |
| FLASH POINT 310°F (154.4°C), C.O.C. | VISCOSITY NA | |
| FLAMMABLE LIMITS LEL: NE UEL: NE | VAPOR DENSITY (AIR = 1) <1 | |
| AUTOIGNITION TEMPERATURE NE | EVAPORATION RATE (Water = 1) >1 | |
| SECTION 10 - STABILITY AND REACTIVITY | | |
| STABILITY STABLE X | CONDITIONS TO AVOID: Strong oxidizers, flames, sparks and storage at elevated temperatures. | |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strong Oxidizers | | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO ₂ , Hydrocarbons | | |
| HAZARDOUS POLYMERIZATION: Will not occur. | CONDITIONS TO AVOID: None related to polymerization. | |
| SECTION 11 - TOXICOLOGICAL INFORMATION | | |
| No toxicological data is available for the components of this product. | | |
| SECTION 12 - ECOLOGICAL INFORMATION | | |
| No ecological data specific to this product is available. Product should not be allowed to enter waterways, sewers etc. | | |
| SECTION 13 - DISPOSAL CONSIDERATIONS | | |
| WASTE DISPOSAL METHOD: Dispose of in an approved hazardous waste container. Disposer must comply with local, state and federal regulations with regard to disposal or discharge. Product may also be disposed of by dilution with water and discharged to a sewage treatment facility. | | |
| SECTION 14 - TRANSPORT INFORMATION | | |
| PROPER SHIPPING NAME: Not Regulated | | |
| DOT HAZARD CLASS / Pack Group: REFERENCE: 49 CFR. UN / NA IDENTIFICATION NUMBER: LABEL: HAZARD SYMBOLS: | IATA HAZARD CLASS / Pack Group: IMDG HAZARD CLASS: RID/ADR Dangerous Goods Code: UN TDG Class / Pack Group: Hazard Identification Number (HIN): | |
| Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping. | | |
| SECTION 15 - REGULATORY INFORMATION | | |
| TSCA (USA - Toxic Substance Control Act): Components are listed. SARA TITLE III (USA - Superfund Amendments and Reauthorization Act): Acute Health: NO Chronic Health: NO Fire: NO Sudden Release of Pressure: NO Reactive: NO | | |
| 313 REPORTABLE INGREDIENTS: None Reportable. | | |
| CERCLA (USA - Comprehensive Response Compensation and Liability Act): | | No RQ's Applicable. |
| California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: | | None Listed |
| CPR (Canadian Controlled Products Regulations): NA | | |
| IDL (Canadian Ingredient Disclosure List): Listed | | |
| DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): | | Listed on DSL. |
| EINECS (European Inventory of Existing Commercial Chemical Substances): | | Listed |

MATERIAL SAFETY DATA SHEET

Page 4 of 4

| | | | |
|---|--|--|--|
| PRODUCT NAME: Casite Power Steering Honey | | Product Number(s): C155-6PK, C155-12,C155S | |
| DATE: June 6, 2008 | | | |
| WGK Water Quality Index: 1 | | | |
| RISK PHRASES: | SYMBOL(S) REQUIRED FOR EU LABEL | SAFETY PHRASES: | |
| (+R36/38): Irritating to eyes and skin. |  Xn-Harmful | S23 Do not inhale gas/fumes/vapour/spray. S24/25 Avoid contact with skin and eyes. S28 After contact with skin, wash immediately with plenty of soap and water. S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. | |
| SECTION 16 - OTHER INFORMATION | | | |
| Legend: NA=Not Applicable, NE= Not Established . | | | |
| HMIS HAZARD RATINGS | HEALTH: FLAMMABILITY: PHYSICAL HAZARD: PERSONAL PROTECTIVE EQUIPMENT: | 0 1 0 B | 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME |
| REVISION SUMMARY: | | | |
| Revised to GHS/E.U. protocols 6/6/2008, supersedes 03/12/2008 issue. | | | |
| MSDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com | |  | |
| <small>The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.</small> | | | |